



**TRANSPORT
SCOTLAND**
CÒMHDHAIL ALBA

Environmental Impact Assessment Record of Determination

A90 Stracathro to Keithock SB

Contents

Project Details	4
Description.....	4
Location	5
Description of local environment.....	6
Air quality	6
Cultural heritage	6
Landscape and visual effects	7
Biodiversity	8
Geology and soils	8
Material assets and waste	9
Noise and vibration	11
Population and human health	11
Road drainage and the water environment.....	11
Climate	12
Policies and Plans	13
Description of main environmental impacts and proposed mitigation	14
Air quality	14
Impacts.....	14
Mitigation.....	14
Cultural heritage	15
Impacts.....	15
Mitigation.....	15
Landscape and visual effects	15
Impacts.....	15
Mitigation.....	16
Biodiversity	16
Impacts.....	16
Mitigation.....	16
Material assets and waste	17
Impacts.....	17
Mitigation.....	17
Noise and vibration	18
Impacts.....	18

Mitigation.....	18
Population and human health	18
Impacts.....	18
Mitigation.....	19
Road drainage and the water environment.....	19
Impacts.....	19
Mitigation.....	20
Climate	20
Impacts.....	20
Mitigation.....	21
Vulnerability of the project to risks	21
Assessment cumulative effects.....	21
Assessments of the environmental effects	22
Statement of case in support of a Determination that a statutory EIA is not required.....	22
References of supporting documentation	23
Annex A.....	24

Project Details

Description

The works are required to maintain the safety and integrity of a stretch of the A90 carriageway (southbound lane) to the north of Brechin, Angus. The carriageway is presenting signs of continual deterioration and addressing these defects will provide an extended pavement life and will improve road safety and ride quality.

Construction activities will entail the resurfacing of the A90 carriageway with the activities as follows:

- Installation of Traffic Management (TM);
- Inlay treatments to remediate the defects present (including 155mm inlay, 460mm reconstruction and 470mm reconstruction);
- Reinstatement of road markings, linings and studs; and
- Removal of TM.

The following (but not limited to) plant/machinery/vehicles may be used throughout the scheme:

- Planer;
- Bitumen tank;
- Extrusion liner;
- Paint tanker;
- Paver;
- Roller(s); and
- Wagon(s).

The proposed construction is programmed to be completed within this financial year (April 2024 to March 2025) with works lasting approximately 20 nights. The works are proposed to be undertaken during night-time hours.

TM for the scheme will involve a convoy system and the total area of works is estimated to be approximately 11,701m².

Location

The scheme is located within a rural section area of the A90 carriageway (SB), north of the town of Brechin, Angus. The National Grid References (NGR) of the scheme are detailed below, while the scheme location is illustrated in Figure 1:

- Scheme Start: NO 62358 64547
- Scheme End: NO 60861 63267




Figure 1: Scheme location.

Description of local environment

Air quality

The scheme is located within a rural section of the A90 carriageway, north of Brechin, Angus. Local air quality is likely to be influenced by residential and agricultural activities.

Three residential properties have been identified within 200m of the scheme extents with the closest located approximately 10m north of the works. No non-residential air quality sensitive receptors have been identified within 200m of the scheme extents.

In 2022 the [Annual Average Daily Flow \(AADF\)](#) for all vehicles along the A90 (site ID: 30864) was 19,353, with 13% of those being Heavy Goods Vehicles (HGV's).

Angus Council has not declared any [Air Quality Management Areas \(AQMAs\)](#).

No sites registered on [Scottish Pollutant Release Inventory \(SPRI\)](#) have been identified within 1km of the scheme.

Cultural heritage

The [PastMap](#) resource has been utilised to ascertain the designated (see Table 1 below) and undesignated (see Table 2 below) culturally significant assets within proximity to the scheme extents. Designated assets within proximity have been determined using a buffer of 300m whilst undesignated assets within proximity have been determined using a buffer of 100m.

Table 1: Designated Cultural Heritage Assets within 300m.

Name and Designation	Reference Number	Description	Distance from Scheme
Listed Building: Keithock, Main Gates	LB5052	Listed building designation regarding the main gates of Keithock	260m northwest
Scheduled Monument: Keithock, Roman Camp North of East Mains of Keithock	SM2303	Roman encampment	20m north

Table 2: Non-Designated Cultural Heritage Assets within 100m.

Name and Designation	Reference Number	Description	Distance from Scheme
Historic Environment Record (HER): Keithock	NO66SW0027	Roman encampment	20m north
HER: East Mains of Keithock	NO66SW0027	Cottages and farmstead	20m north
HER: Auchiries Farm, Cruden Bay	NO66SW0021	Cropmarks	20m north
HER: Syde	NO66SW0056	Buildings and farmstead	90m north

Landscape and visual effects

Multiple visual residential receptors have direct views of the A90 carriageway within the scheme extents with little natural or man-made screening separating the carriageway from singular properties at the roadside and groups of properties within 500m of the highway boundary.

No [landscape designations](#) such as Garden and Designed Landscapes (GDLs) have been identified within 1km (or within eyeline of) the scheme extents.

[Scotland's Landscape Character Type Map](#) lists the landscape character type present within the scheme extents to be 'Broad Valley Lowlands- Tayside.' [Scotland's Soil Map](#) classifies the land as '2' with regard to the Land Classification for Agriculture.

[Scotland's Ancient Woodland Inventory \(AWI\)](#) has identified six areas of 'Long-established of plantation origin' ancient woodland within 500m of the scheme extents with the closest of these being approximately 180m south of the works.

No [Tree Preservation Orders \(TPOs\)](#) have been identified adjacent to, with view of (or from) the carriageway, or within 500m of the scheme extents.

Biodiversity

The area surrounding the A90 carriageway within the scheme extents contains areas of low-lying pastoral agricultural land and occasional stretches of woodland/scrub. [Scotland's AWI](#) has identified six areas of 'Long-established of plantation origin' ancient woodland within 500m of the scheme extents with the closest of these being approximately 180m south of the works. No [TPOs](#) have been identified adjacent to, or within 500m of the scheme extents.

A desktop study using [Nature Scot's Sitelink online interactive map](#) has highlighted no European designated sites within 2km of the scheme. This resource has not identified the presence of national designations (such as Sites of Special Scientific Interest (SSSIs) or Local Nature Reserves) within 1km of the scheme extents. No hydrological connectivity links the scheme extents to any European or nationally designated sites. The scheme does not meet any of the criteria regarding the requirement for a Habitats Regulation Appraisal (HRA).

The NBN Atlas mapping resource has not identified the presence of Invasive Non-Native Species (INNS) within 1km of the scheme extents. The Amey Sustainability Solutions NE INNS Map has not identified the presence of INNS within (or within 1km) of the scheme extents however, this resource has identified the presence of the Transport Scotland target species Rosebay willowherb (*Chamerion angustifolium*) and Common ragwort (*Jacobaea vulgaris*) at the roadside adjacent to the scheme extents.

The scheme and the surrounding habitat have been reviewed by a senior ecologist utilising desktop resources. The works are of a transient nature and works are to be contained within the carriageway and in turn, a site visit was scoped out. The nature of the works has resulted in the assessment that no significant effects are likely and, as a result, an ecological site survey has been scoped out.

Geology and soils

[The National Soil Map of Scotland](#) lists the soils surrounding the scheme extents as brown earth.

A desktop study using [NatureScot Sitelink](#) has not identified any Geological Conservation Review Sites (GCRS) or SSSI's designated for their geological features within 2km of the scheme extents.

A desktop study using the [British Geological Survey Map](#) has identified the local geology types as the following:

Bedrock Geology:

Cromlix Mudstone Formation - Mudstone. Sedimentary bedrock formed between 407.6 and 393.3 million years ago during the Devonian period.

Superficial Deposits:

Till, Devensian - Diamicton. Sedimentary superficial deposit formed between 116 and 11.8 thousand years ago during the Quaternary period.

As the works will be restricted to the existing carriageway boundary and previously engineered layers, it has been determined that the project does not carry the potential to cause direct or indirect impact to geology or soils. As such, no significant impacts are anticipated and geology and soils has been scoped out of requiring further assessment.

Material assets and waste

Table 3: Key materials required for activities.

Activity	Material Required	Origin/ Content
Site Construction	<ul style="list-style-type: none"> • Bituminous surfacing materials (TS2010 binder/base); • AC20 bituminous binder; • AC32 bituminous base; • Vehicle fuel; • Road marking materials and studs; • Oil; and • Lubricant. 	<p>A proportion of reclaimed asphalt pavement (RAP) is used in asphalt production. Typical RAP values for base and binder are 10% -15% with up to 10% in surface course.</p> <p>TS2010 surface course allows a wider array of aggregate sources to be considered when compared to typical Stone Mastic Asphalt (SMA). As a result, the use of TS2010 will reduce the usage of imported aggregates and increase the use of a wider range of sustainable aggregate sources.</p>

Table 4: Key wastes arising from activities.

Activity	Waste Arising	Disposal/ Regulation
Site Construction	<ul style="list-style-type: none"> Road planings (inert bituminous materials). 	<p>Uncontaminated road planings generated as a result of the works, will be fully recycled in accordance with the criteria stipulated within the Scottish Environment Protection Agency (SEPA) document ‘Guidance on the Production of Fully Recoverable Asphalt Road Planings’.</p> <p>Following on-site coring investigations and testing, no coal-tar was identified within the surfacing of the carriageway within the scheme extent.</p> <p>The Contractor is responsible for the disposal of road planings and this has been registered in accordance with a Paragraph 13(a) waste exemption issued by SEPA, as described in Schedule 3 of the Waste Management Licensing Regulations 2011.</p> <p>Due to the general size, nature and cost of the scheme, a Site Waste Management Plan (SWMP) will be required for the scheme</p>

Noise and vibration

Baseline noise levels surrounding the scheme extents are likely to be influenced by road traffic from the A90 carriageway combined with noise from agricultural activities. Approximately 10 residential properties have been identified within 300m of the scheme extents with the closest of these being approximately 10m north of the A90 carriageway. No non-residential noise sensitive receptors have been identified within 300m of the scheme extents.

In 2022 the AADF for all vehicles along the A90 (site ID: 30864) was 19,353, with 13% of those being HGV's.

[Modelled day-time noise levels](#) (Lden) surrounding the A90 carriageway at the scheme extents show levels of 65-75 dB within 50m and 60-65 dB within 100m, whilst [modelled night-time noise levels](#) (Lnight) show 55-60 dB within 50m and 50-55 dB within 100m. The scheme does not fall within a [Candidate Noise Management Area \(CNMA\)](#).

Population and human health

Approximately 10 residential properties have been identified within 300m of the scheme extents. With regard to non-residential properties, agricultural businesses and fields are present within 300m of the scheme extents. The towns of Brechin and Laurencekirk contain public amenity and human health facilities such as medical practices and educational facilities. Stracathro Hospital is located approximately 480m northeast of the scheme extents. The A90 carriageway within the scheme extents links the settlements of Forfar, Brechin and Laurencekirk with other major settlements such as Dundee and Aberdeen.

The A90 carriageway within the scheme extents is not street-lit, contains no pedestrian footways, and contains no bus stops. Whilst no single access points to residential properties have been identified within the scheme extents, access to Farm Road at two locations is contained within the scheme extents. Two field access points have also been identified within the scheme extents. No [national cycle routes](#) are present within 300m of the scheme extents. No [Angus Council Core Paths](#) are present within 300m of the scheme extents.

Road drainage and the water environment

A desktop study using the [SEPA Water Classification Map](#) has not identified any watercourses classified under the Water Framework Directive (WFD) within 500m of the scheme extents. Multiple unclassified, unnamed watercourses and field drains

have been identified within 500m of the scheme extents with the closest being located approximately 20m west. SEPA's Water Classification Map lists the groundwater (Laurencekirk, site ID: 150653) to be of 'Poor' condition within the area surrounding the scheme.

[SEPA's Flood Mapping system](#) has not identified any areas of the A90 carriageway within the scheme extents to be at risk of surface or river water flooding.

The A90 carriageway within the scheme extents is drained via top-entry gullies.

The A90 carriageway within the scheme extents is contained within the [Scottish Government's Strathmore, Fife and Angus Nitrate Vulnerable Zone \(NVZ\)](#).

Climate

Carbon Goals

The Climate Change (Scotland) Act 2009 sets out the target and vision set by the Scottish Government for tackling and responding to climate change ([The Climate Change \(Scotland\) Act 2009](#)). The Act includes a target of reducing CO2 emissions by 80% before 2050 (from the baseline year 1990). The Climate Change (Emissions Reduction Targets) (Scotland) Act 2019 amended the Climate Change (Scotland) Act 2009 to bring the target of reaching net-zero emissions in Scotland forward to 2045 ([Climate Change \(Emissions Reduction Targets\) \(Scotland\) Act 2019](#)).

The Scottish Government has since published its indicative Nationally Determined Contribution (iNDC) to set out how it will reach net-zero emissions by 2045, working to reduce emissions of all major greenhouse gases by at least 75% by 2030 ([Scotland's contribution to the Paris Agreement: indicative Nationally Determined Contribution - gov.scot \(www.gov.scot\)](#)). By 2040, the Scottish Government is committed to reducing emissions by 90%, with the aim of reaching net-zero by 2045 at the latest.

Transport Scotland is committed to reducing carbon across Scotland's transport network and this commitment is being enacted through the Mission Zero for Transport ([Mission Zero for transport | Transport Scotland](#)). Transport is the largest contributor to harmful climate emissions in Scotland. In response to the climate emergency, Transport Scotland are committed to reducing their emissions by 75% by 2030 and to a legally binding target of net-zero by 2045.

Monitoring, Management and Opportunities

To support our journey towards carbon neutral and zero waste we include potential opportunities for enhancement utilising circular economy principals within assessment of material assets.

Amey (working on behalf of Transport Scotland) undertake carbon monitoring. Emissions from our activities are recorded using Transport Scotland's Carbon Management System.

Further information identifying how Amey will obtain the above Carbon Goals can be viewed within the Carbon Management and Sustainability Plan Roadmap to net-zero: STRNMC – North East.

Policies and Plans

This Record of Determination (RoD) has been undertaken in accordance with Roads (Scotland) Act 1984 (Environmental Impact Assessment) Regulations 2017 (RSA EIA Regulations) along with Transport Scotland's Environmental Impact Assessment Guidance ([Guidance – Environmental Impact Assessments for road projects \(transport.gov.scot\)](#)). Relevant guidance, policies and plans accompanied with the Design Manual for Roads and Bridges ([Design Manual for Roads and Bridges \(DMRB\)](#)) LA 102 and LA 103 were used to form this assessment.

Description of main environmental impacts and proposed mitigation

Air quality

Impacts

- On site construction activities carry a potential to produce airborne particulate matter, dust and generate emissions that may have a temporary impact on local air quality levels and act as a nuisance to nearby residents.
- TM being implemented during the scheme may result in an increase in associated vehicle emissions through idling vehicles and increased congestion.

Mitigation

- Best practice and measures as outlined in the '[Guidance on the assessment of dust from demolition and construction \(January 2024\)](#)' published by the Institute of Air Quality Management (IAQM), which includes the following mitigation relevant to this scheme will be followed:
 - The site layout will be planned (including plant, vehicles and Non-Road Mobile Machinery (NRMM)) so that machinery and dust causing activities are located away from receptors, as far as reasonably practicable;
 - Materials that have a potential to produce dust will be removed from site as soon as possible, unless being re-used on site (cover or fence stockpiles will be used to prevent wind whipping);
 - Cutting, grinding or sawing equipment will be fitted or used in conjunction with suitable dust suppression techniques such as water sprays or local extraction, e.g. suitable local exhaust ventilation systems;
 - Drop heights from conveyors and other loading or handling equipment will be minimised;
 - Vehicles carrying wastes and materials entering and leaving the work area will be covered to prevent escape of materials during transport;
 - Equipment will be readily available on site to clean any dry spillages, and clean up spillages as soon as reasonably practicable after the event using wet cleaning methods; and
 - When not in use, plant, vehicles and NRMMs will be switched off and there will be no idling vehicles.
- Plant, vehicles and NRMM will be regularly maintained, paying attention to the integrity of exhaust systems to ensure such fuel operated equipment is not generating excessive fumes.

- Green driving techniques will be adopted, and effective route preparation and planning will be undertaken prior to works.
- Where possible, materials will be sourced locally.
- Surfaces will be swept where loose material remains following planing.

No significant effects are predicted on air quality. Therefore, in accordance with DMRB Guidance document LA 105: Air Quality no further assessment is required.

Cultural heritage

Impacts

- Due to the containment of the scheme within the A90 carriageway, no impacts on cultural heritage have been identified as a result of the works.
- It is likely that the original construction of the A90 carriageway removed any archaeological features present and therefore the potential for new archaeological discoveries is very low.

Mitigation

- Should the nature of the works change, or additional excavation works be required, the Amey Sustainability Solutions team will be contacted prior to works commencing.
- Works and storage of plant/machinery/vehicles will be contained within the carriageway boundary at all times throughout the scheme.

With mitigation measures in place, no significant effects are predicted on cultural heritage. Therefore, in accordance with DMRB Guidance document LA 106: Cultural Heritage, no further assessment is required.

Landscape and visual effects

Impacts

- Residential properties within proximity to the scheme extents will have sight of the works which will temporarily impact the tranquillity of the area.
- No operational impacts are anticipated for visual receptors as works entail the like-for-like resurfacing of the A90 carriageway within the scheme extents.
- Due to the general proximity, there will be no impact on the ancient woodland identified within 300m of the scheme extents.

- Construction site lighting during night-time hours could cause disturbance for residential properties and other receptors with views of the works.

Mitigation

- Plant and machinery will be regularly maintained in order to reduce the risk of leaks of oil and fuel.
- Works will be contained within the A90 carriageway boundary.
- Site lighting will be directed away from residential receptors.

The residual effect on landscape and visual effects is deemed to be neutral. Therefore, in accordance with DMRB Guidance document LA 107: Landscape and Visual Effects no further assessment is required.

Biodiversity

Impacts

- During night-time programming, misdirected site lighting and additional noise could cause temporary disturbance to any surrounding nocturnal species.
- There is potential for protected species to be active within the surrounding area and for the works to result in disturbance to these species.
- Works have the potential to cause the spread of Transport Scotland target species including Rosebay willowherb and Common ragwort.

Mitigation

- As part of the Network Management Contract, Amey, on behalf of transport Scotland, have been asked to keep a record of various target species, including Rosebay willowherb and Common ragwort. Works will not cause the spread of this species, if works are likely to result in the spread of this species through disturbance, the appropriate Amey landscaping team will be consulted.
- In the event that protected species are sighted on site, works will temporarily be suspended until the animal has moved on. Any sightings will be reported to the Amey Sustainability Solutions team. The Sustainability Solutions team will be contacted for any guidance if required, and the control room will be contacted for environmental record.
- All works and storage of plant, machinery, vehicles and equipment will be restricted to the boundaries of the carriageway.
- All site lighting will be directed away from sensitive ecological receptors such as woodland and watercourses.

- Noise mitigation measures as outlined in the Noise and Vibration section and pollution control mitigations as outlines in the Road Drainage and the Water Environment section will be adhered to during the works.

With mitigation measures in place, no significant effects are predicted on biodiversity. Therefore, in accordance with DMRB Guidance document LA 108: Biodiversity, no further assessment is required.

Material assets and waste

Impacts

- The design life for the TS2010 surfacing proposed is estimated to be 20 years. This will reduce the requirement for maintenance to this section of road over the period.
- The works will result in contribution to resource depletion through use of virgin materials.
- Greenhouse gas (GHG) emissions will be generated by material production and transportation to and from site.
- Transportation and recovery of materials/waste will require energy deriving from fossil fuel, a non-renewable source.

Mitigation

- Materials will be derived from recycled, secondary or re-used origin as far as practicable within the design specifications to reduce natural resource depletion and associated emissions.
- It is Amey policy to reuse or recycle as much waste material as possible. Where recycling is not feasible, waste material will be removed to a licenced waste facility.
- Where possible, different waste streams will be separated at the source.
- Waste will be stored in suitable containers and covered.
- A SWMP will be completed for the scheme.
- Following on-site coring investigations and testing, no coal-tar was identified within the surfacing of the carriageway within the scheme extent. As such, road planings generated as a result of the works will be recovered in accordance with the criteria stipulated within SEPA document where possible.

With best practice mitigation measures in place, no significant effects are predicted on Material Assets and Waste. Therefore, in accordance with DMRB Guidance document LA 110: Material Assets and Waste, no further assessment is required.

Noise and vibration

Impacts

- TS2010 road surfacing is shown to have superior durability and noise reducing features compared to standard road surfacing mixes. Vehicle travellers and nearby local amenity users will benefit from improved road surfacing as a result of the scheme.
- Noise heavy works will likely be required during night-time hours, which could cause disturbance for nearby sensitive receptors (such as residential properties within 300m).

Mitigation

- The noisiest works will be completed before 23:00 where feasible.
- Plant/machinery will be fitted with silencers/mufflers.
- No plant, vehicles or machinery will be left idling when not in use.
- The use of a soft start to the works, whereby plant/machinery is turned on sequentially as opposed to simultaneously.
- Amey's environmental briefing on noise and vibration will be delivered to operatives prior to the start of construction.
- Amey's Sustainability Solutions team has contacted Angus Council's Environmental Health Team to notify of the works due to night-time programming.

With best practice mitigation measures in place, and due to the works being of a minor, temporary, transient nature, no significant effects are predicted for noise and vibration. Therefore, in accordance with DMRB Guidance document LA 111: Noise and Vibration and no further assessment is required.

Population and human health

Impacts

- Construction site lighting during night-time hours could cause disturbance for residential properties in close proximity, and for the nearby amenity users. Further impacts regarding noise and vibration can be found in the Noise and Vibration section (above).
- TM for the works will involve a convoy system:

- Nearby residents of surrounding settlements may experience travel disruption due to presence of TM, which may lead to increased journey times.
- There will be no impact on land take from private land, community facilities or agricultural land as a result of the scheme as all works will be contained within the carriageway boundary.
- Access to fields and properties on Farm Road are likely to be impacted by the scheme.

Mitigation

- TM restrictions/arrangements and any expected travel delays will be publicised within the local and wider area, in an effort to minimise disturbance to vehicular travellers.
- When in place, TM will be monitored to ensure it is effectively managing traffic flow.
- Temporary site lighting used throughout the scheme will be directional and pointed only at the area of works.
- Site specific control measures regarding noise and vibration and air quality can be found in the relevant sections (above).
- Due to night-time programming, properties within 300m of the scheme extents will be notified in advance of the works. Pre-notification will include details of proposed timings, duration of the works and alternative access/egress routes for those affected by temporary roadblocks/closures.
- Access points to properties and fields will be maintained at all times throughout the scheme.

With best practice mitigation measures in place, no significant effects on population and human health are predicted. Therefore, in accordance with DMRB Guidance document LA 112: Population and Human Health, no further assessment is required.

Road drainage and the water environment

Impacts

- If not adequately controlled, debris and runoff from the works could enter surrounding surface water environment. In the event of a flooding incident, this debris may be mobilised and could enter the road drainage system, thus having a detrimental effect on the surrounding local water environment.
- Potential for spills, leaks or seepage of fuels and oils associated with plant to escape and reach drainage systems and watercourses if not controlled, which may negatively affect the surrounding water environment.
- Should flooding occur, this may delay the scheduled works.

Mitigation

- All debris which has the potential to be suspended in surface water and wash into the local water environment will be cleaned from the site both during and following the works.
- Debris and dust generated as a result of the works will be prevented from entering the drainage system. This will be via the use of drain covers or similar.
- Appropriate measures will be implemented onsite to prevent any potential pollution to the natural water environment (e.g., debris, dust, and hazardous substances). This will include spill kits being present onsite at all times, and the use of funnels and drip trays when transferring fuel etc.
- The Amey control room will be contacted if any pollution incidences occur (24 hours, 7 days a week).
- Visual pollution inspections of the working area will be conducted frequently, especially during heavy rainfall and wind.
- Weather reports will be monitored prior to and during all construction activities. In the event of adverse weather/flooding events, all activities will temporarily stop, and only reconvene when deemed safe to do so.
- All storage of materials/fuel and any refuelling activities will be more than 10m away from any drainage inlet at all times and placed on a hardstanding surface.
- Storage areas will be located away from areas that see high vehicular movement to prevent accidental damage.
- All oils and fuels will be returned to storage area after use.

Providing all works operate in accordance with current best practice, as demonstrated by SEPA's Guidance for Pollution Prevention (GPPs), no significant effects are predicted on the water environment. Therefore, in accordance with DMRB Guidance document LA 113: Road drainage and the water environment no further assessment is required.

Climate

Impacts

GHG emissions will be emitted through the use of machinery, vehicles and materials used (containing recycled and virgin materials) and transporting to and from site.

Mitigation

- Local suppliers will be used as far as reasonably practicable to reduce travel distance and GHG emitted as part of the works.
- Vehicles/plant will not be left on when not in use to minimise and prevent unnecessary emissions.
- Further actions and considerations for this scheme are detailed in the above Material assets and waste section.

With best practice mitigation measures in place, the residual significance of effect on climate is considered to be neutral. Therefore, in accordance with DMRB Guidance document LA 114: Climate, no further assessment is required.

Vulnerability of the project to risks

As the works will be limited to the like-for-like replacement of the carriageway structure, there will be no change in vulnerability of the road to risk, or in severity of major accidents/disasters that would impact on the environment.

Assessment cumulative effects

The [Scottish Road Works Commissioner's](#) Interactive Map has not highlighted any works during the proposed timescale and at the location of the works.

[Angus Council's Planning Portal](#) has not highlighted any relevant proposed developments or planning applications during the proposed timescale and at the location of the works.

Amey's current [programme of works](#) has highlighted a resurfacing scheme entitled A90 South of Revel Green NB (scheme Ref.: 24-NE-0102-63) located approximately 10km south of the A90 Stracathro to Keithock SB works. Whilst these works are programmed to take place on overlapping days, there is sufficient distance between the sites and in turn, no cumulative impacts are anticipated.

No other nearby schemes which may result in a combined effect on nearby receptors have been identified.

Any future schemes will be programmed to take into account already programmed works, and as such any effect (such as from TM arrangements and potential construction noise) will be limited.

Assessments of the environmental effects

Following assessment as detailed within this Record of Determination, and provided that mitigation measures are in place and best practice is followed, the residual impact is deemed neutral and there will be no significant effects on the environment.

The following environmental surveys/reviews/consultations have been undertaken:

- An Initial Environmental Review of the scheme, undertaken by the Amey Environment and Sustainability Team in May 2024.
- Consultation with Angus Council's Environmental Health team in May 2024.

Statement of case in support of a Determination that a statutory EIA is not required

This is a relevant project in terms of section 55A(16) of the Roads (Scotland) Act 1984 as it is a project for the improvement of a road and the completed works (together with any area occupied by apparatus, equipment, machinery, materials, plant, spoil heaps, or other such facilities or stores required during the period of construction) exceed 1 hectare in area.

The project has been subject to screening using the Annex III criteria to determine whether a formal Environmental Impact Assessment is required under the Roads (Scotland) Act 1984 (as amended by The Roads (Scotland) Act 1984 (Environmental Impact Assessment) Regulations 2017). Screening using Annex III criteria, reference to consultations undertaken and review of available information has not identified the need for a statutory EIA.

The project will not have significant effects on the environment by virtue of factors such as:

Characteristics of the scheme:

- Construction activities are restricted to the existing carriageway boundary within made ground and as such there will be no residual change to the local landscape as a result of the works.
- No in-combination effects have been identified.
- Works are not expected to result in significant disturbance to protected species that may be present in the wider area.
- The risk of major accidents or disasters is considered to be low.

- As the works will be limited to the like-for-like replacement of the structural components, there is no change to the vulnerability of the road to the risk or severity of major accidents/disasters that would impact on the environment. No impacts on the environment are expected during the operational phase as a result of works.
- By removing the carriageway defects this will provide this part of the A90 carriageway with another life cycle, and significantly improve the ride quality, which will result in safer conditions, and positive operational impacts for road users.

Location of the scheme:

- Works are not located within an area designated for its specific landscape character or quality.
- The scheme is not situated in whole or in part in a sensitive area.
- The scheme will be confined within the existing carriageway boundary and as a result will not require any land take or alter any local land uses or habitats.
- Any impacts to the local landscape during the construction phase will be minor, temporary and not considered significant. In addition, no operational adverse impacts are anticipated.

Characteristics of potential impacts of the scheme:

- Containment measures of the working area will be in place to prevent debris or pollutants from entering the surrounding environment.
- Any potential impacts of the works are expected to be temporary, non-significant, and limited to the construction phase.
- Measures will be in place to ensure appropriate removal and disposal of waste.
- No in-combination effects have been identified.

References of supporting documentation

1. Initial Environmental Review. May 2024.

Annex A

“sensitive area” means any of the following:

- land notified under sections 3(1) or 5(1) (sites of special scientific interest) of the Nature Conservation (Scotland) Act 2004
- land in respect of which an order has been made under section 23 (nature conservation orders) of the Nature Conservation (Scotland) Act 2004
- a European site within the meaning of regulation 10 of the Conservation (Natural Habitats, &c.) Regulations 1994
- a property appearing in the World Heritage List kept under article 11(2) of the 1972 UNESCO Convention for the Protection of the World Cultural and Natural Heritage
- a scheduled monument within the meaning of the Ancient Monuments and Archaeological Areas Act 1979
- a National Scenic Area as designated by a direction made by the Scottish Ministers under section 263A of the Town and Country Planning (Scotland) Act 1997
- an area designated as a National Park by a designation order made by the Scottish Ministers under section 6(1) of the National Parks (Scotland) Act 2000.



**TRANSPORT
SCOTLAND**

CÒMHDHAIL ALBA

© Crown copyright 2024

You may re-use this information (excluding logos and images) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence, visit <http://www.nationalarchives.gov.uk/doc/open-government-licence> or e-mail: psi@nationalarchives.gsi.gov.uk

Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.

Further copies of this document are available, on request, in audio and visual formats and in community languages. Any enquiries regarding this document / publication should be sent to us at info@transport.gov.scot

This document is also available on the Transport Scotland website: www.transport.gov.scot

Published by Transport Scotland, July 2024

Follow us:



transport.gov.scot



**Scottish Government
Riaghaltas na h-Alba
gov.scot**